




PRODUCT SET



FACTORY SUBSTRATE COMPREHENSIVE DIAGRAM

© 2026 EDITION



SMART PRODUCTION

COMPANY PROFILE


Located in Foshan City, Guangdong Province, the factory specializes in the extrusion of WPC door substrates. It covers an area of approximately 30,000 square meters, operates over 20 production lines, and possesses a comprehensive range of molds; with a daily output exceeding 100 tons, it offers convenient and efficient export capabilities.




Our company operates multiple advanced wood-plastic composite production lines, offering a wide range of products including wood-plastic entrance doors and various wood-plastic trim profiles. We provide professional services such as product development, customization, and OEM manufacturing. Over the years, through continuous innovation and expansion, our products have gained widespread popularity in numerous countries and regions, including the United States, Singapore, the United Kingdom, Canada, Saudi Arabia, the UAE, Nigeria, Brazil, and Mexico.

WPC wood-plastic composite products are an emerging eco-friendly decorative material with excellent moldability, easily processed into various shapes. They also offer advantages such as waterproofing, antibacterial properties, easy cleaning, resistance to insect damage, and Class B1 fire retardancy, making them ideal for commercial applications including hotels, resorts, medical facilities, and office buildings.


FACTORY REAL PHOTOS






45 DOOR LEAF >

730*45 Door Leaf 730mm 45mm	830*45 Door Leaf 830mm 45mm	930*45 Door Leaf 930mm 45mm	1000*45 Door Leaf 1000mm 45mm
1100*45 Door Leaf 1100mm 45mm	40*35 WPC Square R1 3mm 35mm 40mm	36*28 WPC Square R1 3mm 28mm 36mm	













45 DOOR FRAME E COMBINATION >

E40 Extension plate 58mm 44.4mm 40mm	E60 Extension plate 78mm 44.4mm 60mm	E100 Extension plate 118mm 44.4mm 100mm	E100-50 Door frame 112mm 62mm 50mm 20mm 100mm
E120-50 Door frame 132mm 82mm 50mm 46mm 120mm	E140-50 Door frame 152mm 102mm 50mm 46mm 140mm	E100*30 Door edge line 100mm 29.5mm 12mm	












45 DOOR FRAME PLATE(SQUARE-CORNER CASING)

A100-50 Right angle door frame  	A120-50 Right angle door frame  	A140-50 Right angle door frame  	A160-50 Right angle door frame  
A180-50 Right angle door frame  	A200-50 Right angle door frame  	A220-50 Right angle door frame  	A240-50 Right angle door frame  
A260-50 Right angle door frame  			



45 DOOR FRAME PLATE(ROUNDED-CORNER CASING)

Y100-48 Curved door frame  	Y120-48 Curved door frame  	Y140-48 Curved door frame  	Y160-48 Curved door frame  
Y180-48 Curved door frame  	Y200-48 Curved door frame  	Y220-48 Curved door frame  	Y240-48 Curved door frame  
Y260-48 Curved door frame  			



40 DOOR SHEET >

730*40 Door sheet

730mm 40mm

830*40 Door sheet

830mm 40mm

950*40 Door sheet

950mm 40mm

40 DOOR FRAME PLATE >

B120-45 Right-angle door casing

31.2mm 21.2mm 120mm

B140-45 Right-angle door casing

31.2mm 21.2mm 140mm

B160-45 Right-angle door casing

31.2mm 21.2mm 160mm

B200-45 Right-angle door casing

31.2mm 21.2mm 200mm

45-B DOOR FRAME PLATE >

Y100B-50 Curved door frame

100mm 30mm

Y140B-50 Curved door frame

140mm 30mm

Y200B-50 Curved door frame

200mm 30mm

Y240B-50 Curved door frame

240mm 30mm

Y260B-50 Curved door frame

260mm 30mm

WOOD PLASTIC AUXILIARY MATERIALS >

180 Actuator plate

180mm 25mm 12mm

350 Actuator plate

350mm 25mm 12mm

200 Window sill board

12mm 200mm

300 Window sill board

12mm 300mm

32 Squared timber


32mm 32mm

L46*6 Louver boards

R6 46mm 6mm

L32*4.6 Louver edge trim

32mm 4.6mm



Framed Door Casing

FRAMED DOOR >

870*40 Door core board	120-45 Composite door frame	100-45 Composite door frame	100-60 Composite door frame
100 Door atrium	250 Door core board	A180-65 Right angle door frame	A220-65 Right angle door frame

GENERAL DOOR FRAME LINE >

L50*30 Door frame line	L50*50 Door frame line	60*36 Door frame line	80*52 Sloping door frame line
L80*60 Door frame line	L100*65 Door frame line	L100*55 Arc door frame line	L100*84 Arc door frame line
100*103 European arc door frame line	100*60 Door frame line		



LD-A0 Assembled Door



LD-A1 Assembled Door



LD-A4 Assembled Door



LD-A5 Assembled Door



LD-A11 Flat door



LD-A13 Flat door



LD-A10 Flat door



LD-A12 Flat door



LD-Black edge door



LD-Metal lines door



LD-Louver door



L100*55 Arc door frame line



870*35 Door core board



100*43 Door atrium



120 Composite door frame



A160-50 Right angle door frame



Arched Door Casing Set



L50*30 Door frame line



45*24 Edge trimming line




100*43 Door atrium



120 Composite door frame




A160-50 Right angle door frame



Framed Door Casing



L50*30 Door frame line



870*35 Door core board




100*43 Door atrium




120 Composite door frame




A160-50 Right angle door frame



Framed Door Casing



E100*30 Door frame line



830*45 Door core board




E100-50 Door frame




E40 Extension plate



Process: Drilling slots and applying black glue



WPC Door Frame Set - Extension Jamb



930*45 Door leaf



L32*4.6 Louvered edge strips



L46*6 Louver strips




100*103 European arc door frame line



A160-50 Right angle door frame



European-Style Arched Molding Set




830*40 Door board



60*36 Door frame line



E140-50 Door frame
















Process : Slotting and Embedding Metal Lines













WPC Door Frame Set - Door Frame

Fluted Wall Panel

Product Picture	Name	Cross-section	Size (mm)	EP level	Fire rating	Advantage
	40*40*57 Triangular grille		Width: 40*40 Length: 3000 Thickness: 57	E0	B1	Waterproof & Bendable
	40*80*90 Triangular grille		Width: 40*80 Length: 3000 Thickness: 90	E0	B1	Waterproof & Bendable
	140 Triangular grille		Width: 154 Length: 3000 Thickness: 27.8	E0	B1	Waterproof & Bendable
	150 Inner arc grille		Width: 159 Length: 3000 Thickness: 15	E0	B1	Waterproof & Bendable
	163 Big inner arc grille		Width: 163 Length: 3000 Thickness: 27.8	E0	B1	Waterproof & Bendable
	172 High triangular grille		Width: 172 Length: 3000 Thickness: 47.8	E0	B1	Waterproof
	180 Triangular grille		Width: 192 Length: 3000 Thickness: 18	E0	B1	Waterproof
	190 Trapezoid grille		Width: 191 Length: 3000 Thickness: 39.8	E0	B1	Waterproof
	190 Large and small waves grille		Width: 190 Length: 3000/3600 Thickness: 43	E0	B1	Waterproof
	137*19 Hollow grille		Width: 137 Length: 3000 Thickness: 19	E0	B1	Waterproof
	154*21 Hollow grille		Width: 154 Length: 3000 Thickness: 20.5	E0	B1	Waterproof
	141*8 Hollow grille		Width: 140.5 Length: 3000 Thickness: 8	E0	B1	Waterproof







Fluted Wall Panel

Product Picture	Name	Cross-section	Size (mm)	EP level	Fire rating	Advantage
	143*8 Solid grille		Width: 142.5 Length: 3000 Thickness: 8	E0	B1	Waterproof
	40 Curved panel		Width: 40 Length: 3000 Thickness: 15	E0	B1	Waterproof
	70 Curved panel		Width: 70 Length: 3000 Thickness: 15	E0	B1	Waterproof
	141*17 Solid grille		Width: 140.5 Length: 3000 Thickness: 16.5	E0	B1	Waterproof
	151*15 Arc-shaped grille		Width: 151 Length: 3000 Thickness: 15	E0	B1	Waterproof
	150*15 Inner-curve grille		Width: 150 Length: 3000 Thickness: 15	E0	B1	Waterproof
	128*12 Hollow grille		Width: 128 Length: 3000 Thickness: 12	E0	B1	Waterproof
	135*8 Solid grille		Width: 135 Length: 3000 Thickness: 7.8	E0	B1	Waterproof


OPTIONAL COLOR





Product Picture	Name	Cross-section	Size (mm)	EP level	Fire rating	Advantage
	25External Corner		Width: 25 Length: 3000 Thickness: 25	E0	B1	Waterproof & Bendable
	35Flat plate		Width: 35 Length: 3000 Thickness: 11	E0	B1	Waterproof & Bendable
	60Flat plate (solid)		Width: 60 Length: 3000 Thickness: 12	E0	B1	Waterproof
	60Frame line		Width: 60 Length: 3000 Thickness: 21	E0	B1	Waterproof
	100Skirting		Width: 100 Length: 3000 Thickness: 15	E0	B1	Waterproof
	30Lnternal Corner Line		Width: 42.5 Length: 3000/3600 Thickness: 42.5	E0	B1	Waterproof
	100Apical line		Width: 100 Length: 3000/3600 Thickness: /	E0	B1	Waterproof



Product Picture	Name	Cross-section	Size (mm)	EP level	Fire rating	Advantage
	58*58Double Female Groove Internal Corner*12mm		Width: 58 Length: 3000 Thickness: 12	E0	B1	Waterproof & Bendable
	70*70Double Female Groove Internal Corner*12mm		Width: 70 Length: 3000 Thickness: 12	E0	B1	Waterproof & Bendable
	90*90Double Female Groove Internal Corner*12mm		Width: 90 Length: 3000 Thickness: 12	E0	B1	Waterproof & Bendable